



Burleson County Road & Bridge Office
 1516 FM 166, Caldwell, TX 77836
 Phone: 979-567-0076
 Email: rbadmin@burlesoncounty.org

Application No: _____

PLAT APPLICATION

SUBJECT PROPERTY INFORMATION	
APPLICATION DATE *:	RESUBMITTAL: <input type="checkbox"/> YES <input type="checkbox"/> NO
PROJECT / SUBDIVISION NAME:	
PROJECT ADDRESS OR LOCATION:	
LEGAL DESCRIPTION:	
IF RESUBMITTAL, PROJECT FORMERLY KNOWN AS:	
NUMBER OF LOTS:	TOTAL ACREAGE
JURISDICTION : <input type="checkbox"/> _____ CITY LIMITS <input type="checkbox"/> _____ ETJ <input type="checkbox"/> OUTSIDE ALL CITY LIMITS AND ETJs	
BURLESON COUNTY APPRAISAL DISTRICT PROPERTY ID:	

*** Notification of Application completeness will be given within 10 days of Application date. All incomplete Applications will be rejected. This Application shall expire five (5) years from the Application date of the project.**

TYPE OF APPLICATION		
<input type="checkbox"/> MASTER PLAN	<input type="checkbox"/> SIMPLIFIED PLAT	<input type="checkbox"/> PRELIMINARY PLAN
<input type="checkbox"/> FINAL PLAT	<input type="checkbox"/> AMENDING PLAT	<input type="checkbox"/> REPLAT

APPLICATION PURPOSE		
<input type="checkbox"/> RESIDENTIAL	<input type="checkbox"/> MANUFACTURED HOME RENTAL COMMUNITY	<input type="checkbox"/> COMMERCIAL
<input type="checkbox"/> OTHER (Please explain):		

FLOODPLAIN	
IS ANY OF THE PROPERTY LOCATED IN A FLOODPLAIN OR FLOOD HAZARD AREA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p>Acknowledgment: The flood hazard boundary maps and other flood data used by Burleson County in evaluating flood hazards to proposed Developments are considered reasonable and accurate for regulatory purposes and are based on the best available scientific and engineering data. On rare occasions greater floods can and will occur and flood heights may be increased by man-made or natural causes. Issuance of a Floodplain Permit in accordance with the Burleson County Flood Damage Prevention Ordinance does not imply that Development outside the areas of special flood hazard will be free from flooding or flood damage. Issuance of a permit shall not create liability on the part of Burleson County or any officer or employee of Burleson County in the event flooding or flood damage does occur.</p>	

TxDOT RIGHT-OF-WAY	
WILL ANY CONSTRUCTION OCCUR IN TxDOT RIGHT-OF-WAYS?	<input type="checkbox"/> YES <input type="checkbox"/> NO

DIGITAL FILE SUBMISSION	
COUNTY ENGINEER	<input type="checkbox"/> ADOBE (.pdf file) <input type="checkbox"/> AutoCAD (.dwg file) (Email To: rbadmin@burlesoncounty.org)
911 ADDRESSING	<input type="checkbox"/> ADOBE (.pdf file) <input type="checkbox"/> AutoCAD (.dwg file) (Email To: burl_add@burlesoncounty.org)

CONTACT INFORMATION

APPLICANT INFORMATION

FIRM NAME:

CONTACT:

ADDRESS:

CITY:

STATE:

ZIP:

PHONE:

FAX:

EMAIL:

PROPERTY OWNER INFORMATION

FIRM NAME:

CONTACT:

ADDRESS:

CITY:

STATE:

ZIP:

PHONE:

FAX:

EMAIL:

ENGINEER INFORMATION

FIRM NAME:

CONTACT:

ADDRESS:

CITY:

STATE:

ZIP:

PHONE:

FAX:

EMAIL:

SURVEYOR INFORMATION

FIRM NAME:

CONTACT:

ADDRESS:

CITY:

STATE:

ZIP:

PHONE:

FAX:

EMAIL:

OTHER INFORMATION

FIRM NAME:

CONTACT:

ADDRESS:

CITY:

STATE:

ZIP:

PHONE:

FAX:

EMAIL:

Additional contacts can be added on separate sheet

Application Submittal Requirements Check List:

- Payment of Plat Fee
- One (1) .pdf copy of Preliminary Plan if required
- One (1) .pdf copy of finished plat to Burleson County
- One (1) .dwg copy of finished plat to Burleson County
- One (1) hard copy of finished plat to Burleson County Environmental
- Provide Letter of Approval from Burleson County Environmental for On-Site Sewage evaluation
- Provide One (1) hard copy of finished plat to local Ground Water District, Water District, or provider
- Provide Letter of water availability from water district, company or provider certifying capacity to serve proposed subdivision
- Provide copy of TxDOT access permits if development will access TxDOT facility
- Provide Drainage Plan as required Burleson County Engineering Design Guidelines and Construction Standards
- Provide Floodplain Study in accordance to Burleson County Flood Damage Prevention Order if required
- If property is within an Extraterritorial Jurisdiction (ETJ) of a city, approval notification from appropriate city

Final Plat Requirements Check List: (For Commissioner’s Court Approval)

- Completed list of requirements on Subdivision Application Checklist in the Burleson County Subdivision Regulations
- Payment of filing fee
- Provide Two (2) paper copies of finished plat & Two (2) mylar copies of finished plat to Burleson County, all must be signed and notarized
- Provide Proof of Ownership (Tax Certificate from Tax Office)
- Provide One (1) .pdf copy of finished plat to Burleson County 911 – may need to complete Pre-Approval Road Name Request Form
- Provide Letter of Approval from Burleson County 911 for subdivision and road names
- Provide Draft of Covenants and Restrictions or state no restrictions contemplated – provide to County Engineer
- Provide Traffic impact analysis if required

PROPERTY OWNER CONSENT / AGENT AUTHORIZATION		
By my signature, I hereby affirm that I am the property Owner of record, or if the Applicant is an organization or business entity, that authorization has been granted to represent the Owner, organization or business in this Application. I certify that the preceding information is complete and accurate, and it is understood that I agree to the Development/Subdivision of this property.		
SIGNATURE:	PRINTED NAME:	DATE:
SIGNATURE:	PRINTED NAME:	DATE:
By signing this form, the Owner of the property authorizes Burleson County to begin proceedings in accordance with the process for this type of Application indicated on page one of this Application. The Owner further acknowledges that submission of an Application does not in any way obligate the County to approve the Application and that although County staff may make certain recommendations regarding this Application, the Commissioner’s Court may not follow that recommendation and may make a final decision that does not conform to the staff’s recommendation.		

Applicant attests that they have signed this Application in the capacity designated, if any, and further attests that they have read the document and the statement contained herein and any attached are true and factual. All Applicants are encouraged to review the County Subdivision Regulations prior to any plat submittal. It is understood that this Application is not finished or dated until all documents listed above are filed at the Burleson County Road and Bridge Office and all applicable blanks are filled in the Application above.

RECEIPT BY BURLESON COUNTY (Official Use Only)	
DATE APPLICATION RECEIVED: ____/____/____	DATE APPLICATION REJECTED: ____/____/____
COUNTY REPRESENTATIVE SIGNATURE:	COUNTY REPRESENTATIVE SIGNATURE:
COUNTY ENGINEER ASSIGNED:	
Receipt of this Application by Burleson County does not provide confirmation or acceptance of a complete Application, nor does it waive requirements for any additional information not contained as part of this Application which may also be needed as a part of the review process.	

SIMPLIFIED FINAL PLAT REQUIREMENTS

Every Simplified Plat shall include all of the following:

- Title Block with the following information:
 - Name, address, telephone and email address of Subdivider, recorded Owner, Engineer and surveyor.
 - Proposed name of Subdivision. (Subdivision name & Street names will be approved through Burleson County 911 Addressing.) (Replats need to retain original Subdivision name.)
 - Date of preparation. (Include the date of any revisions on the plat.)
 - Engineer's scale in feet.
 - Total area intended to be developed.
 - Proposed number of Lots to be developed.
 - Re-plat or Amending Plat, existing Lot and Block description or Abstract name and number.
- North arrow.
- Drawn on 24" x 36" sheet to scale of 100-feet per inch or larger.
- Subdivision boundary indicated by heavy lines. Boundary must include all of Parent Tract.
- All horizontal control and vertical elevations depicted on the plat shall be tied to NAD83 and NAVD 1988 Datum.
- A vicinity map, drawn at a scale appropriate to show all nearby major Roadways and sufficient in detail to identify the location of the proposed plat.
- All adjacent property Owner's names, deed record, or Subdivision name, Block and Lot number, and existing use.
- All parcels within the boundary of the Subdivision shall have a Block and Lot number shown on the face of the plat drawing.
- County boundaries, City limits, Extraterritorial Jurisdiction (ETJ) boundaries, school district boundaries and Subdivision section and/or phase boundaries.
- Road names and Right-of-Way width for all Roads. (Existing and proposed)
- All existing and proposed plat boundary lines, phase/section lines, and Lot lines with bearings and dimensions.
- Utility Services. (Water, wastewater, electrical, natural gas, cable, phone, etc.)
- Pipelines: label company with volume and page.
- All certification language as found in Appendix C.
- Easements and rights-of-way shall be dedicated to the public. The dedication of all Easements and rights-of-way shall be accomplished free of liens. The dedication shall be accompanied by the Certificate of Ownership and Dedication language found in Appendix C. The Owner's and any lien holder's dedication, and restrictions if any duly acknowledged in the manner required for acknowledgement of deeds, shall also be provided.
- All proposed Easements and existing Easements of record that have a designated route shall be shown on the plat with bearings and dimensions. The Owner shall be responsible for coordinating with all Utility Providers the location of all utility Easements that are shown on the Final Plat.
- Building Setback Lines for each proposed Lot as defined herein. For Subdivisions located within an Extraterritorial Jurisdiction (ETJ), this may be shown on the drawing or included as a plat note.
- Metes and bounds description of the property to be subdivided shall be certified by a Registered Professional Land Surveyor (RPLS), describing a beginning point and reciting bearings and distances to a corner of the original land grant survey of which the Subdivision is a part, according to the best available data. (Shown on drawing; not separate description)

- All Subdivision external corners, angle points, points of curvature and points of tangency shall be set by a Registered Professional Land Surveyor (RPLS) before the plat is recorded and shall be a TxDOT “Light Duty Setting” monument with an aluminum or bronze disk as specified in Appendix C of the TxDOT Survey Manual of April 2011. Alternately, Bernsten® Standard Aluminum Base monument (or equivalent as approved by the County Engineer) embedded and backfilled with compacted sand may be used. All Daughter Lots, Blocks and rights-of-way within the Subdivision shall be fully monumented in compliance with the Texas Board of Professional Land Surveying Act and the Board Rules set by a Registered Professional Land Surveyor (RPLS) before the plat is recorded.
- Primary control points or descriptions and ties to such control points, to which, later, all dimensions, angles, bearings, Block numbers, and similar data shall be referred. The plat shall be located with respect to a corner of the surveyor tract, or an original corner of the original survey of which it is a part. All boundaries shall be tied to a County control monument.
- The plat note regarding Owner’s responsibilities as found in Appendix G.4, if not contained in the Owner’s dedication.
- The On-site Sewage Facility (OSSF) setback as required by the Texas Commission on Environmental Quality (TCEQ) Chapter 285 Table X.
- The location, zone classification and panel Effective Date of the 100-Year Floodplain as identified on the most current Burleson County Flood Insurance Rate Map (FIRM), published by the Federal Emergency Management Agency (FEMA).
- If there are any areas within the plat that include a FEMA-mapped Floodplain with a Zone A classification, or if there exists within or adjacent to the plat any water courses whose upstream drainage basin is larger than 64 acres, the plat shall also show the extent of the 100-Year Floodplain as determined by an engineering study under the seal of a Registered Professional Engineer. This study shall be sufficient in scope to determine and establish a BFE for all points within the plat.
- BFE’s shall be shown for all points within the plat, as determined by the results of an engineering study. For plats where a FEMA-mapped Floodplain with a Zone AE classification exists within the plat, the BFE established by the accompanying FEMA- published flood study may be substituted for the engineering study.
- A minimum lowest finished floor elevation (FFE) for Buildings shall be established for each Lot within the plat. This minimum FFE shall be twelve (12) inches higher than the highest spot elevation that is located within five (5) feet outside the perimeter of the Building, or two-feet above the BFE, whichever is higher.
- If any areas within the plat include a 100-Year Floodplain (as determined by the results of an engineering study or as established by FEMA), a benchmark shall be established by the Owner within or immediately adjacent to the boundary of the plat. The location, description and elevation of the benchmark are required to be identified on the face of the plat. The elevation of this benchmark shall utilize the same vertical datum as that used in the engineering study to determine the FFE.
- A separate drawing containing both existing and proposed topographic information at 2-FT contour intervals along with the plat boundaries, Easement locations (existing & proposed), and culverts (existing & proposed).
- The certification language as found in Appendix C for both the Commissioner’s Court approval and the County Clerk’s filing certificate shall be located on the face of the plat. These signatures shall be obtained after approval by the Burleson County Commissioner’s Court.
- If any Lot within the plat will be served by a well or an On-site Sewage Facility (OSSF), a letter must be provided by the Burleson County Environmental Department stating they have examined the plat and that it is in compliance with the Burleson County On-site Sewage Facility (OSSF) Regulations, Construction Standards for On-site Sewage Facility (OSSF) Regulations as published by the Texas Commission on Environmental Quality (TCEQ). This letter must be signed by the Burleson County Designated Representative prior to Final Plat approval.
- If the plat contains a water well site, there shall be a depiction of the TCEQ separation requirements per Title 30, Part 1, Chapter 290, Subchapter D Rule §290.41.
- If rural route mailboxes are proposed, the plat note as found in Appendix G.2 for placement of such mailboxes shall be shown on the face of the plat.

- If any areas of the plat are located outside of all incorporated areas, the plat note as found in Appendix G.1 regarding the requirement to obtain a unique Development Permit from the Burleson County Floodplain Administrator prior to locating or altering a structure or land shall be placed on the plat.
- It is the responsibility of the Owner to assure that the proposed name of the Subdivision is not duplicated. Subdivisions with different sections are considered unique. The Owner shall check with the County Clerk's records for verification.
- Driveway culverts for all Lots shall be designed by a Licensed Professional Engineer.
- If entrances or driveways are proposed fronting Texas Department of Transportation (TxDOT) controlled highways, farm-to-market Roads, or others, copies of correspondence with TxDOT are required to be submitted with the Preliminary Plan stating that the general entrance or driveway configuration is within TxDOT's guidelines. Formal approval of the layout from TxDOT is required prior to approval of Final Plat.
- The diameter and length for each driveway culvert shall be shown on a table on the plat. This information shall also be placed in the deed restrictions for the Lots in the Subdivision.
- The Owner shall provide a letter of serviceability from an entity or entities providing water service or a letter stating that no service is available within 300 feet of the Subdivision and certifying that the Lots are suitable for private wells.
- Any Improvements proposed within the Right-of-Way including, but not limited to, irrigation, landscaping, sidewalks, Subdivision identification signs, etc. shall be maintained in accordance with an executed license agreement between the County and the Owner.
- This check list along with the required copies of the plat shall be submitted to the County Engineer for approval.
- Location and size of all existing and proposed subsurface and surface water drainage facilities, including water bodies on or immediately adjacent to the subject property and detention basins, if needed.
- All existing and proposed water courses or manmade drainage channels shall be located within a Common Area to be maintained by Owner.

MASTER PLAN / PRELIMINARY PLAN REQUIREMENTS

Every Master Plan / Preliminary Plan shall include all of the following:

- Title Block with the following information:
 - Name, address, telephone and email address of Subdivider, recorded Owner, Engineer and surveyor.
 - Proposed name of Subdivision. (Subdivision name & Street names will be approved through the Burleson County 911.)
 - Date of preparation. (Include the date of any revisions on the plan.)
 - Engineer's scale in feet.
 - Total area intended to be developed.
 - Proposed number of Lots to be developed.
 - Abstract name and number.
- The Preliminary Plan shall carry the legend "PRELIMINARY PLAN FOR REVIEW PURPOSES ONLY".
- North arrow.
- Drawn on 24" x 36" sheet to scale of 100-feet per inch or larger.
- Subdivision boundary indicated by heavy lines. Boundary must include all of Parent Tract.
- All horizontal control and vertical elevations depicted on the plan shall be tied to NAD83 and NAVD 1988 Datum.
- A vicinity map, drawn at a scale appropriate to show all nearby major Roadways and sufficient in detail to identify the location of the proposed plan.
- All adjacent property Owner's names, deed record, or Subdivision name, Block and Lot number, and existing use.
- All parcels within the boundary of the Subdivision shall have a Block and Lot number shown on the face of the plan drawing.
- County boundaries, City limits, Extraterritorial Jurisdiction (ETJ) boundaries, school district boundaries and Subdivision section and/or phase boundaries.
- Road names and Road designation (whether the Road will be public or privately owned), pavement width and Right-of-Way width for all proposed Roads within and all existing Roads abutting the plan. (Proposed and existing)
- All existing and proposed plan boundary lines, phase/section lines, and Lot lines with bearings and dimensions.
- Utility Services. (Water, wastewater, electrical, natural gas, cable, phone, etc.) (Existing and proposed.)
- Pipelines: label company with volume and page.
- The Preliminary Plan (including the entire Parent Tract if only a portion of that tract is to be subdivided) shall be shown on a single sheet, regardless of its acreage. The Preliminary Plan may also be shown on multiple sheets if necessary to show all detail and required information as required by this section.
- Size, in acres, of all Daughter Tracts.
- Centerline tangent lengths and curve data for all proposed Roads.
- Easements and rights-of-way shall be dedicated to the public. The dedication of all Easements and rights-of-way shall be accomplished free of liens.
- All proposed Easements and existing Easements of record that have a designated route shall be shown on the plan with bearings and dimensions. The Owner shall be responsible for coordinating with all Utility Providers the location of all utility Easements that are shown on the Final Plat.

- Building Setback Lines for each proposed Lot as defined herein. For Subdivisions located within an Extraterritorial Jurisdiction (ETJ), this may be shown on the drawing or included as a plan note.
- Metes and bounds description of the property to be subdivided shall be certified by a Registered Professional Land Surveyor (RPLS), describing a beginning point and reciting bearings and distances to a corner of the original land grant survey of which the Subdivision is a part, according to the best available data. (Shown on drawing; not separate description)
- Primary control points or descriptions and ties to such control points, to which, later, all dimensions, angles, bearings, Block numbers, and similar data shall be referred. The plat shall be located with respect to a corner of the surveyor tract, or an original corner of the original survey of which it is a part. All boundaries shall be tied to a County control monument.
- The plat note regarding Owner's responsibilities as found in Appendix G.4, if not contained in the Owner's dedication.
- The On-site Sewage Facility (OSSF) setback as required by the Burleson County Rules for On-Site Sewage Facilities.
- The location, zone classification and panel Effective Date of the 100-Year Floodplain as identified on the most current Burleson County Flood Insurance Rate Map (FIRM), published by the Federal Emergency Management Agency (FEMA).
- If there are any areas within the plat that include a FEMA-mapped Floodplain with a Zone A classification, or if there exists within or adjacent to the plat any water courses whose upstream drainage basin is larger than 64 acres, the plat shall also show the extent of the 100-Year Floodplain as determined by an engineering study under the seal of a Registered Professional Engineer. This study shall be sufficient in scope to determine and establish a BFE for all points within the plat.
- BFE's shall be shown for all points within the plat, as determined by the results of an engineering study. For plats where a FEMA-mapped Floodplain with a Zone AE classification exists within the plat, the BFE established by the accompanying FEMA- published flood study may be substituted for the engineering study.
- A minimum lowest finished floor elevation (FFE) for Buildings shall be established for each Lot within the plat. This minimum FFE shall be 12-inches higher than the highest spot elevation that is located within five feet outside the perimeter of the Building, or two-feet above the BFE, whichever is higher.
- If any areas within the plat include a 100-Year Floodplain (as determined by the results of an engineering study or as established by FEMA), a benchmark shall be established by the Owner within or immediately adjacent to the boundary of the plat. The location, description and elevation of the benchmark are required to be identified on the face of the plat. The elevation of this benchmark shall utilize the same vertical datum as that used in the engineering study to determine the FFE.
- A drawing containing both existing and proposed topographic information at 2-FT contour intervals along with the plat boundaries, Easement locations (existing & proposed), and culverts (existing & proposed).
- If the plat contains a water well site, there shall be a depiction of the TCEQ separation requirements per Title 30, Part 1, Chapter 290, Subchapter D Rule §290.41.
- It is the responsibility of the Owner to assure that the proposed name of the Subdivision is not duplicated. Subdivisions with different sections are considered unique. The Owner shall check with the County Clerk's records for verification.
- The Owner shall provide a letter of serviceability from an entity or entities providing water service or a letter stating that no service is available within 300 feet of the Subdivision and certifying that the Lots are suitable for private wells.
- If entrances or driveways are proposed fronting Texas Department of Transportation (TxDOT) controlled highways, farm-to-market Roads, or others, copies of correspondence with TxDOT are required to be submitted with the Preliminary Plan stating that the general entrance or driveway configuration is within TxDOT's guidelines. Formal approval of the layout from TxDOT is required prior to approval of Final Plat.

- For Road widening and drainage purposes the Owner shall dedicate the Right-of-Way. In the case of drainage that is provided for the Lots, it shall be located outside of the Right-of-Way in a private drainage Easement. In the case of drainage that is provided for the Roadway, it shall be located within the Right-of-Way.
- Indicate the centerline length of each Road in the proposed Subdivision and its design speed.
- If the Roads within the Subdivision will be privately maintained, include the appropriate note(s) per the requirements of Article 8 of these Regulations.
- Locations of existing and proposed private alleys.
- Locations of existing and proposed public areas.
- Locations of other public Improvements, including but not limited to parks, schools and other public facilities.
- The location of proposed cluster mailboxes, as required.
- All proposed Off-site Easements for infrastructure construction must be shown on the Preliminary Plan.
- Proposed phasing. Each phase must be able to stand alone to meet requirements of these Regulations.
- Location and size of all existing and proposed subsurface and surface water drainage facilities, including water bodies on or immediately adjacent to the subject property and detention basins, if needed.
- If the proposed Preliminary Plan is to be a Private Subdivision (containing privately maintained Roads), the title of the plan shall contain the phrase, "A Private Subdivision". Refer to Article 8 for additional requirements.
- This check list along with the required copies of the plan shall be submitted to the County Engineer for approval.
- Include a description of contributing drainage to the proposed Subdivision. The submittal shall include the area, slope and type of Development in the contributing area.
- Drainage narrative in compliance with the BCEDG.
- Clearly indicate the method of sanitary sewage treatment and/or disposal such as, but not limited to, municipal sewer service, private sewage disposal system and On-site sewage facilities including the size and location of all proposed sewer mains and manholes. Preliminary grades for each main between manholes and the depth at each manhole shall also be shown.
- All existing and proposed water courses or manmade drainage channels shall be located within a Common Area to be maintained by Owner.

FINAL PLAT APPLICATION REQUIREMENTS

Every Final Plat must include all of the items provided on the Simplified Plat checklist as well as the following:

- For Road widening and drainage purposes the Owner shall dedicate the Right-of-Way. In the case of drainage that is provided for the Lots, it shall be located outside of the Right-of-Way in a private drainage Easement. In the case of drainage that is provided for the Roadway, it shall be located within the Right-of-Way.
- If public Roadways are to be built as part of the plat, the plat note regarding the responsibility for construction of Roadways as found in Appendix G.3 shall be placed on the face of the plat.
- The plat note regarding Owner's responsibilities as found in Appendix G.4, if not contained in the Owner's dedication.
- Indicate the centerline length of each Road in the proposed Subdivision and its design speed.
- If more than four mailboxes are to be provided within the Subdivision, cluster mailboxes shall be provided and the location of such shall be indicated on the plat.
- If the Roads within the Subdivision will be privately maintained, include the appropriate note(s) per the requirements of Article 8 of these Regulations.
- Locations of existing and proposed private alleys.
- Locations of existing and proposed public areas.
- Locations of other Public Improvements, including but not limited to parks, schools and other public facilities.
- All Off-site Easements for infrastructure construction must be shown on the Final Plat with a volume and page listed to indicate where the separate instrument Easements were filed. Separate instrument Easements must be filed prior or concurrently with Final Plat.
- Proposed phasing. All phasing shall be in accordance with the approved Master Plan and/or Preliminary Plan and each phase must be able to stand alone to meet requirements of these Regulations. Infrastructure costs should be separate for each phase of the Subdivision.
- Location and size of all existing and proposed subsurface and surface water drainage facilities, including water bodies on or immediately adjacent to the subject property.
- If the proposed Final Plat is to be a Private Subdivision (containing privately maintained Roads), the title of the plat shall contain the phrase, "A Private Subdivision". Refer to Article 8 for additional requirements.
- In the case of an On-site Sewage Facility (OSSF), the Developer shall be responsible for providing a Development Plan, as performed by a Professional Sanitarian, a Licensed Professional Engineer, or person certified as required by TCEQ Title 30 TAC Chapter 285. The sewage disposal plan shall be performed according rules and regulations established by the Burleson County On-site Sewage Facility (OSSF) Order and TCEQ Title 30 TAC Chapter 285.